

Die folgenden Verbesserungen wurden in Update 4 vorgenommen:

Fehler Id	Titel
8586	Wenn bei Fenstern für die Darstellung außerhalb Schnittebene entweder "Normal" oder "Schematisch ohne Wandunterbruch" eingestellt ist, steht nun richtigerweise die vom PIO gesteuerte Darstellung "Oben" für die 2D-Darstellung zur Auswahl.
10094	Optimierung der Methode "Interaktiv einsetzen" bei Fenstern deren Brüstungshöhe oder Sturzhöhe über den Fensterstil gesteuert wird.
10279	Optimierung des Reiters "Schnitte/Ansichten" im Dialogfenster "Einstellungen Fenster".
10281	Die Vorschau und auch die Fensterwerte werden nun wieder zurück auf das Laibungsdefault gesetzt, wenn der Name des Laibungstyps nicht übereinstimmt oder Leer ist.
10310	Verbesserung der Position von Modifikationspunkten für Eckfenster.
10311	Auf Windows Systemen wurde das Auswahlmenü im Fensterdialog für das übersteuern von Symbolen für Rahmen und Anschlag Optimiert.
10324	Die Attribute "Anschlag 2D" und "2D Linie außen" von Fenstern die nicht in Wände eingesetzt sind, werden nicht mehr von "Wandattribute übernehmen" geändert.
10328	Für Eckfenstern mit der Einstellung Beidseitig die "Laibungseinstellungen der Wand verwenden", ist die Breite korrekterweise nicht mehr veränderbar.
10346	Die Vorschau im Fenster Dialog wird nun direkt nach dem ändern von Sondereinheiten aktualisiert.
10364	Verbesserte Vorschau im Fenster bearbeiten Dialog bei mehrflügeligen Fenster mit einem Aufschlag über 90°.
10373	Verbesserte Darstellung von Fenstern die "Laibungseinstellungen der Wand verwenden" und eine Montagefuge haben.
10385	Der Aufschlag von Fenstern wird nun auch bei einem öffnungswinkel von 180° gezeichnet.
10312	Auf Windows Systemen wird nun der Platz im Reiter "Detaillierung" von Türen und Fenster optimal ausgenutzt.
10327	Verbesserte Berechnung der Breite von Fenster und Türen in Dokumenten mit Einheit Zentimeter.
10336	Verbesserung bei Fenstern und Türen die auf "Laibungseinstellungen der Wand verwenden" umgestellt werden.

10308	Verbesserung der Funktionalität der Checkbox "Türblatt mittig in Rahmen" bei Türen die vom Stil gesteuert werden.
10309	Das Datenfeld "Lichtes Durchgangsmaß Höhe" von Türen ist nun auch mit Hilfe von Tabellen und Datenstempeln bearbeitbar.
10339	Der Knopf "Klassenattribute entfernen" im Reiter Attribute von Türen funktioniert wieder wie erwartet.
10334	Türen mit Stil können jetzt die Textur aus Klassen an das 3D Schwellenobjekt übergeben.
10332	Die Optionen "Einfügepunkt quer" und "Schwelle in 3D erstellen" können in Türen mit Stil wieder vom Stil gesteuert oder von der Instanz geändert werden.
10326	Die Eingestellten Attribute von Türen bleiben beim Entfernen des Türstil erhalten.
10325	Die Eingestellten Attribute von Türen werden nun in Plänen mit Detaillierungsgrad Mittel richtig Dargestellt.
10372	Das Zargen-/Rahmenaußenmaß Breite bei Zargen Türen wird jetzt richtig in Tabellen und Datenstempel berechnet.
10371	Die Variable "Lichte Durchgangsmaß Breite" von Türen wird jetzt richtig in Tabellen und Datenstempel berechnet.
10380	Nun ist es auch möglich die Zarge von Türen im 2D mit gestrichelten Linien Darzustellen.
10388	Korrektur der Breite von Türobjekten der Tür Art "Durchbruch" und "Nur Wandöffnung".
10389	Die Variable "Lichte Breite 90°" wird nun auch bei Zargen Türen richtig in der Tabelle ausgegeben.
10366	Der Aufschlag von Türen wird nun auch bei einem öffnungswinkel von 180° gezeichnet.
10428	Der Aufschlag von Türen wird nun auch bei einem öffnungswinkel von 0° gezeichnet.
10429	Verbesserung der Position von Türbeschlägen bei öffnungswinkel von 0° - 180°.
10175	Es wurden Hilfetexte in "Einstellungen Datenbank abgleichen" angepasst.
10176	Der Suchen... Knopf im "Datenbank abgleichen" Dialogfenster ist nur noch für die Option Absoluter Pfad wählbar.
10177	Für das "Einstellungen Format" Dialogfenster von dem Menübefehl "Datenbank abgleichen" wurde das ändern der Dialoggröße Optimiert.
10180	Das Sichern eines Abgleichset im Dialogfenster "Datenbank abgleichen" ist nun ohne definiertes Format nicht mehr möglich.
10118	Datenbank abgleichen unterscheidet jetzt auch Groß- und Kleinschreibung von Felder mit identische Benennung.

10283	Die Option "1. Zeile ignorieren" funktioniert jetzt wie erwartet und berücksichtigt die die erste Formatdefinition, falls deaktiviert.
10316	Die XPlanung Geometrie-/Konformitätsprüfung funktioniert bei fehlendem Geltungsbereich.
10341	In einer XPlanungs Datei können wieder zusätzliche Pläne angelegt werden.
10342	Allgemeine XPlanung-Konformitätsregeln werden jetzt richtig angewendet.
10345	Es ist nun möglich in XPläne mit Hilfe der Geometrie-/Konformitätsprüfung ein oder mehrere Objekte in der Liste auszuwählen und direkt nach dem Schließen des Dialogs zu aktivieren.
10433	Verbesserung der XPlanung Geometrie-/Konformitätsprüfung bei der Option "Nur aktive" Objekte.
10299	Optimierung der Werkzeuge "Gesamtfläche" und "Gesamtumfang".
10318	In Elektroinstallationen steht im Auswahlmenü "Art der Kombination" nur Aufputz und Unterputz zur Verfügung.
10384	Die Konvertierung von Dateien mit Querprofilen in die Version 2024 läuft wieder problemlos.
VB-113175	The new "Set Datum" function doesn't work with the "Move by Points Tool"
VB-121185	Dormer Window in Roof Not editable
VB-129511	Using the Wall Clipping option in the Object Info Palette initially fails, unless the user first zooms in/out on the drawing
VB-129520	One skylight penetrates correctly, the other doesn't
VB-147014	Copying and Duplicating Focus Points takes an unreasonably long time
VB-149647	Extremely slow duplicate focus point
VB-152151	Mirrored Focus Points appears to cause issues when there are instruments already assigned to the focus being mirrored
VB-154807	Broken geometry shows up randomly when roof settings are changed
VB-156976	COBie: Worksheet Type.Category backwards
VB-163735	COBie Preformatted Worksheet Error - category values wrong way around
VB-169291	*TRedrawContext::GetAppropriateBackgroundColor crashes on Multi thread with a very high frequency
VB-174528	Truss Properties dialog: Text is cut
VB-176306	Undo after duplicate/copy-paste array of lights break LW data exchange

VB-177946	Mirror and managing focus points is extremely sluggish and I'm constantly waiting on them
VB-179453	Braceworks - Create calculation Report
VB-180713	Lightwright Import Worksheet Does Not Populate with Lighting Devices
VB-182661	Spotlight Power Tool patching do not answer to UNDO
VB-182984	Spotlight Screen tool. third click to place project doesn't see truss
VB-183245	Spotlight Cable tool distributor and schematic distributor output selection bug
VB-183718	Vectorworks fails to assign label legends brought in from Lightwright
VB-184166	Site Model is created at the wrong position if in a top-view
VB-184583	DXF import incorrect
VB-184650	Spotlight Cable Tools power information in OIP pull-downs do not sort properly
VB-187446	Textured Subdivisions are not rendered in Section Viewport using Realistic RW style
VB-190935	T02303: Selected Comment is unselected when Connect is canceled
VB-192391	Question : Is "Constrain object distance from boundary" in "Graphic Legend Layout Constraints" working?
VB-192751	Clip Cube Default Extents Only Include Objects on Active Layer in SP3
VB-193154	Constraints not working in Graphic Legend
VB-194237	Wall Closure export 2x3 failed
VB-194398	Win - Organization Dialog - Direct edit for Fill and Pen colors doesn't work
VB-194546	Styled Space Thumbnail Doesn't Update Initially in the Resource Manager
VB-194841	Spotlight Equip Summary Key T02059 not reading inventory when Compare to Inventory in check box
VB-195195	Space and Custom Record Format leads to a (wrong?) warning Alert
VB-196032	Solibri Inside "Create Issue" deletes all existing BCF-Issues
VB-196069	List Browser Item Interaction Edit Resource doesn't work when EnableSingleLineSelection is set to true.
VB-196296	Schematic Views - Deleted Items do not delete on Schematic Views
VB-196314	Data Manager: Adding a new record format detaches all other record formats
VB-196346	Fence: "fabric" rail appears tilted
VB-196589	Railing Join tool: Distorts top rail of guardrail on stairs

VB-196662	Hanging Position Buttons do not work with Custom Hanging Positions
VB-196750	Worksheet sometimes fails to display ##### for numbers that don't fit the cell as expected
VB-196847	Equipment and Inventory dialogÃ„ T02059 Speaker Array show bumper when collapsed
VB-196926	Spotlight Equip Summary Key T02059 compare to inventory reading info from someplace error
VB-197170	Problems with a tile filling when exporting to DWG and reimporting to VW
VB-197239	Speaker array symbol changing active class when inserted into new document
VB-197598	Eyedropper tool still uses the old bucket icon
VB-197655	T02345: Right/Left parameters should be related to exterior side of insert and reversing sides of a wall should toggle the Interior Side parameter of the wall's inserts when possible.
VB-197850	Stair Preferences dialog, Active class pulldown, icons appear dark
VB-198029	Spotlight Inventory Worksheets T02059 all worksheet reports need assigned source or inventory field
VB-198056	Equipment and Inventory dialogÃ„ T02059 missing ability to report on extra lighting device lenses
VB-198091	Revit import causes ODA platform error
VB-198134	ConnectCAD: Equipment Item geometry flattens in T/P when linked to drop point
VB-198221	T02345 - Asymmetrical Top Shape Options Fail to Adjust Left/Right State When Interior Side is Changed
VB-198234	Openings are not exported in IFC4
VB-198554	Incomplete Export DWG
VB-198784	SBE: OnSetInteractiveSizingParams returns incorrect value eISZ_CornerConfig
VB-198807	Railing: Guardrail top-rails are twisted
VB-198822	Exported DWG is excessively large because of tile fill
VB-198840	Suspend snapping fail to toggle while drawing objects. Windows only
VB-198864	Graphic Legend object constraints do not work
VB-198913	Question: About Active document Icon color
VB-198958	SBE: Interactive creation in 3D: Elevation and window height ignored
VB-199000	Equipment Summary Key Stacking Order and Layout Settings Do Not Work Together

VB-199022	Window tooltip
VB-199100	Plant root sphere wrong position in IFC
VB-199199	SQLite unavailable in Manage Databases
VB-199309	selection highlight mission while using triad in selection tool
VB-199330	Root ball as a sphere slides up during IFC -Export
VB-199414	louver on door not aligned in plan on door opening
VB-199527	ConnectCAD: Circuit number display issue
VB-199580	*VW Crashes After Exiting RW Camera Fine-Tune Dialog
VB-199659	Focus Lines are Greyed out in 2D
VB-199676	DXF/DWG Import French translations
VB-199678	Acceptance test 2024 File Open/Translate hanging
VB-199742	Spotlight Equip Summary Key T02059 border box too large in sheet layer
VB-199799	Grid Line Bubble do not scale consistently in Sheet Layer Vieport.
VB-199868	SBE: Reshaping span window returns incorrect eISZ_CornerConfig.currentValue
VB-199908	Part of the splash screen image in VW 2024 Update 2 is clipped. Windows only
VB-199920	Railing: Old styles are not translated correctly automatically.
VB-199968	ConnectCAD: Panel Connector objects and term panels
VB-199981	Pdf2CAD. A few missing options in Mac Version (Mac Only).
VB-200063	An alert warning that an account has not been created on the SPN server is not displayed on Mac.
VB-200074	*KLS: Attached file from 2023 crashes VW 2024
VB-200141	ConnectCAD: Adapter drag doesn't connect to a device socket
VB-200143	ConnectCAD: Dragging two cable paths off of a drop point doesn't "heal" them.
VB-200183	*2024 Referenced files causing crash when opening main file
VB-200196	[Question]TOV2345 says that "Active Leaf Open Direction" is only valid if Operation is "Multiple", but that does not make it valid.
VB-200201	UK Stair Min./Max. Settings messed up
	The Document options of a TBB that is placed on a sheet layer in the

VB-200236	ConnectCAD(Metric) template file aren't set
VB-200256	Railing Tool - Start/End posts don't reposition after reshape
VB-200308	Railing Bracket and Post WS Materials not
VB-200389	Cable path auto heal mode not working
VB-200395	Cabinets not all handed correctly - Howdens
VB-200400	Define tag field dialog issue
VB-200415	Roof Face Wall Clipping Fails in Update 2
VB-200437	DataVis controls should be disabled when using Fundamentals.
VB-200482	[Question]Is it possible to see the entire list of "Materials and Classes" for Door and Window settings?
VB-200483	Update of Site Model creates a Mesh and a corrupted Site Model
VB-200489	Railing: The texture should not be changed when the material is changed, if the texture is not by material.
VB-200513	DTM update produces the skirt and surface mesh rotated to 90° from it's actual orientation after update.
VB-200526	Braceworks not calculating correctly hoist with auto inserted deadhang bridle
VB-200540	VW2024 Help: window settings: Data Pane description is incorrect
VB-200541	Create new menu command to open Solibri Inside Palette.
VB-200559	Update Reference crashes Vectorworks
VB-200581	Custom sash window geometry incorrect when exterior and interior side of the sash have different textures.
VB-200593	Mode Bar Snapping Icons Do Not Grey When Tool Is Active
VB-200594	Spotlight - ColorForce 48 & 72 Trunnion Issue
VB-200640	2024 pull down menu resize won't stay
VB-200649	Manage Space Numbering Sequence doesn't work
VB-200651	Lighting Device Light Acc C-Clamp doesn't have preview in the Equipment Summary Key
VB-200656	DMX Patch universe green bars incorrect
VB-200670	Title Block - Document Options Do Not Appear In OIP
VB-200689	ConnectCAD: Device Builder doesn't set Display Tag = Name on first tab-thru

VB-200706	*Cropping image effect viewport crash often when in multi screen mode
VB-200718	TBB: Stamp Text Style field should be pop up in the OIP
VB-200719	TBB: The North Point Symbol cannot be edited and its field isn't resource pop up in the OIP
VB-200722	TBB: The Border Line Weight should be in the Sheet Border section in the OIP
VB-200724	TBB: A “Zoom Into Title Block” checkbox should not display in the OIP
VB-200728	Wall Component Thickness arrow background white in dark mode
VB-200733	Manage Independent Virtual Parts dialog: The new items are not saved if all the columns are not filled but there is no information message or default values
VB-200764	Create Panel Layout in U2 - initialising with linked device
VB-200766	Shelving unit facing board geometry bug
VB-200774	ConnectCAD: Renumber command dialog leaves Display Tag field active for Equip Items
VB-200784	Face Texture reverts to it's previous texture after editing a solid.
VB-200810	Site Model changes during update
VB-200817	Spotlight Inventory T02059 - Crash when the assigned inventory of IVP is only with IVPs
VB-200820	Link symbol shows incorrect values in the list browser.
VB-200849	Win - Resource Popup message is not correct
VB-200856	Door with asymmetric sidelights (or one sidelight) not fitting to wall opening
VB-200857	Spotlight Equip Summary Key T02059 Iris symbol in wrong location in the key
VB-200870	DOM: Project Sharing zoom checkout Elements
VB-200871	DOM: User blocks himself
VB-200874	auto hybrid: cutplane can't sow more than one fill
VB-200883	Arrow Endpoints are applied to Section Viewports if set as default on Attribute Palette
VB-200888	Cannot Export PDF
VB-200894	Crash when copying lighting devices from one document to another.
VB-200895	Geolocate tool relocates space and stairs
VB-200917	Snap buttons don't refresh in the mode bar in the middle of a tool

VB-200919	Polyline Get Offset in the Wrong Direction in Update 2 When Using Offset by Point Mode
VB-200931	Railing tool not working for accessible ramps
VB-200939	Status Bar not showing 10 decimals when "Large" Control Sizes is selected
VB-200947	Random Entries in Space Properties List
VB-200953	Adding Gate to a Fence in VW2024 SP2
VB-200980	Create Animation Acceptance Test: Animations Created are Zoomed In Too Far (Mac-Only Regression)
VB-200986	Update 2: Damaged Files- causes me to dump the Vectorworks 2023 Viewer and Vectorworks 2022 app
VB-200993	Project Sharing: If you delete a saved view the change isn't committed to the project file
VB-200994	Project Sharing: Colors defaults for layer aren't commit to the project file
VB-200996	KLS: Offset tool on wrong side when add surface
VB-201004	Roof Dutch Hip representation incorrect in 2D Plan View
VB-201033	Callout text cannot be formatted using Format Text dialog
VB-201040	Spotlight Equip Summary Key crashes VW instantly when placing a divider in an empty document
VB-201041	Section Viewport drawing geometry on wrong class
VB-201046	Title Block Border: Sheet size name has trailing zeroes
VB-201050	3D Geometry of Lighting Device no longer displaces when Base Accessory is added.
VB-201054	Imported DXF file creates linear bands
VB-201055	Cabinets - Toe Kick Trim should NOT wrap inside of cabinet side when it is extended
VB-201058	KLS: Select truss cross symbol open wrong default file
VB-201059	*Crash inside CIFCGUIDUpdate::ForEachObjectUpdateGUID
VB-201078	Space tool returns false Auto-boundry info in the OIP
VB-201126	The 3D symbol insertion point is set to the center of the page, even when "Plan projection center" is selected.
VB-201132	No Default Radio Button Selected when Including Assigned Sources Column in Create Worksheet Dialog in Inventory
VB-201137	Section Viewport: Object-Along-Path not displayed correctly
	MFarnan DSTOP Undo warning Setting OnlyRecognizePrimitives has reached 6. Are

VB-201170	we really in control here
VB-201177	SBE: Interactive Resizing: Inconsistent modification of elevation/head height and height
VB-201185	Spotlight Equip Summary Key T02059 subtotal should be inside the border
VB-201189	Lighting Devices not following Focus Points placed by the focus light command.
VB-201196	Railing: The Termination and Frame groups are not aligned with other groups.
VB-201197	Selecting space in invisible class via label: View bar displays wrong information
VB-201202	Revit import: Missing textures for the roofs
VB-201204	Cabinets - doors do not support centered handle referece
VB-201207	Revit import: The textures of the slabs missing
VB-201212	Switching Space number type to Label Text, partial label still appear on Space
VB-201215	Crash after using Undo with Animation Path objects
VB-201218	*Crash when importing layers from one file to a new blank document.
VB-201223	Create Sym "Plan Projection Center" broken in Update 3 B1
VB-201228	Referenced image replace - Undo action causes gray box and crash when update attempted
VB-201243	Win - SOD - Snapping section doesn't look right in dark mode
VB-201244	KLS: Print current view displaced since version 2024
VB-201258	Hardware is not displayed on folding style doors.
VB-201260	Cabinet tool - removable door divider
VB-201271	When placing a plant and executing "Undo", if I place the plant again, an alert saying "This is not a plant" will be displayed and you will not be able to place the plant again.
VB-201277	CWD - Spotlight - Lighting Device - System - P is double
VB-201281	By Class indicator not positioned correctly in Color Popups
VB-201282	Project Sharing - Graphic Legend Cell Edit Modes Can't be Exited When Editing Style of Checked-Out Object
VB-201312	Spotlight Cable Tools schematic cable placement doesn't pick up the light to which it is connection
VB-201315	CC - connect selected on different design layers
VB-201327	Spotlight Cable Tools fails to make connections after a path is added when placing cable w schematic view

VB-201328	Data Tag: The preview of the newly created style is not correct.
VB-201331	Interactive Stair Creation fails if shape doesn't match polyline (Regression)
VB-201332	Space Settings in lists should be dimmed if By Style
VB-201335	Moving Objects in Project Sharing File Does Not Prompt for Check Out
VB-201336	Railing: Top Rail Depth influences the calculation of the infill even if Top Rail OFF
VB-201338	DMX Patch window the visual bar for each universe displays wrong
VB-201340	Braceworks Calculation Report - Display Background Image needs White background
VB-201350	All Dimension Standards listed twice, after editing the list of custom Standards
VB-201351	Wrong Graphic Representation of Dimensions in Referenced Workflows
VB-201358	If Vectorworks Site Protection Server has never been installed on a machine, an error will be displayed after entering the activation key and installation will not be possible.
VB-201381	Fence tool - gravel board as individual components
VB-201382	Window creates erroneous extrude in glazing when sash has zero width and depth.
VB-201393	Objects from AXYZ tool don't render properly in Renderworks
VB-201394	VSS Support Request from Tuukka Heikkinen [ID = theikkinen, VSSID = FNZ 2622 9070 703] on 2023-12-04 07:54:04 US/Eastern
VB-201396	Wall Closure with Window
VB-201406	Triad having update issue when switching between top/plan and 3D view
VB-201407	Irrigation Outlet Models will not automatically change to correct Model upon resizing
VB-201419	Worksheet recalculation is slow with Space record criteria
VB-201426	ConnectCAD - Rack Frame Module text alignment error
VB-201433	TK BUG: Space: Synchronization behavior between some data field entries.
VB-201447	Spotlight Equip Summary Key T02059 not showing stock quantity.
VB-201463	QA Test - new VectorMep plug-in for VW2024
VB-201469	Window Sills - internal sill not meeting wall in top/plan and window in wall splayed incorrectly
VB-201470	Skylight will not install on roof
VB-201473	Railings Show Incorrectly After Style Replacement
VB-201487	BCF Manager: live connection (login) with BIMcollab fails immediately

VB-201496	Selection Tool - Transform mode - While previewing triad goes behind object.
VB-201504	Dragger deselects items when a callout is selected.
VB-201531	Equipment and Inventory list: Soft goods doesn't remember assigned inventory
VB-201532	ConnectCAD: Non rack equipment misplaced on 3D Rackflow update
VB-201546	Exporting Anima Assets to 3DS exports the mesh of the assets
VB-201548	Hatch rotation is lost when exporting to PDF
VB-201566	Inner railing on specific O- stair gives funky result
VB-201574	SBE: Interactive Reshaping: Incorrect height (regression?)
VB-201577	SBE: Interactive Reshaping: Incorrect elevation aka sill height (regression?)
VB-201578	The inventory is not assigned to the objects after update of the inventory
VB-201588	Wall tool cannot create a single clockwise arc path wall segment
VB-201590	Help: incorrect link
VB-201592	Adding clamps to lighting devices does not drop them down
VB-201614	Resource Selector missing option from the OIP Render tab for walls/slabs/roofs
VB-201631	Lighting accessories do not change Z height of lighting devices when inserted or removed
VB-201642	Window Edit menu with corrupted icons
VB-201648	SBE: Interactive Reshape draws modification points at wrong position
VB-201655	Solid Fills Can't Be Directly Applied to 2D Railing Parts
VB-201657	When executing the ClipCube command with no objects selected, the ClipCube does not include all displayed objects as its boundaries.
VB-201659	Stair CW: unwanted pop-up warning when disabling rail visibility
VB-201679	When adding a Shutter to a light, the overall light brightness will decrease
VB-201681	Complex window 2d/3d display conflict
VB-201683	Vectorworks Help Bug-404 Link
VB-201687	Exporting Anima Assets to 3D PDF exports the mesh and the textures of the assets
VB-201688	Exporting Anima Assets to OBJ exports the mesh and the textures of the assets
VB-201690	Exporting Anima Assets to USD exports the textures of the assets
VB-201693	Exporting Anima Assets to ESC exports the textures of the assets

VB-201698	A roof slope does not connect to the walls
VB-201710	Zoom tool- Incorrect Zoom Icon when Zooming and when using the "Option/Alt" key
VB-201712	TK BUG: Transform mode in Selection Tool: Rotating in Top-Plan-View
VB-201715	TK BUG: Transform mode in Selection Tool: UI-Element for 2-Direction movement shifts object
VB-201719	Unequal Leaf Door won't flip
VB-201729	Railing and Fence apply material texture even when the texture is set to None
VB-201730	KLS: Stair crashes when changing class or Layer
VB-201737	Railing Top Rail Gets Cut-Off With Certain Path Shapes
VB-201758	Cabinets: attributes locked by style are editable
VB-201759	BCF Users are not updated properly
VB-201765	Quick Search Yields Two "Seating Section>Furn/Fixtures"
VB-201767	ConnectCAD: Missing record fields for custom linked text
VB-201768	ConnectCAD: Changing the name of the class through the ConnectCAD settings resets the second color of the class
VB-201771	Working file not committing changes to Project file
VB-201776	*Spotlight Cable Tools crashes VW when drawing a cable using a path
VB-201794	The inventory doesn't find the speakers after reopening of the Equipment and Inventories list
VB-201809	Crash from Door/Window handing change with subsequent Undo
VB-201810	Editing Seating Section results in a freeze
VB-201815	Spotlight Equip Summary Key T02059 compare to inventory set to zero when devices are assigned to sources
VB-201817	Triad picking failure in section viewport
VB-201825	Import Shapefile causes crash
VB-201835	Plants exported to Workgroup libraries can't retrieve data via the plant tool
VB-201837	Railing brackets are shown incorrectly when the railing is in a closed circular loop
VB-201840	Radial Dimension tool causes hang
VB-201854	Spotlight Equip Summary Key T02059 counting miss match between symbols and plugin objects

VB-201856	Equipment Summary Key Displaying 0 in inventory for any fixture
VB-201859	Velux windows not set to insert into walls
VB-201861	Ayrton Khamsin beam rendering issue
VB-201867	An error appears: "There was an error reading your user preferences. Preferences will be reset to factory defaults.", when Vectorworks is restarted after certain settings in the "Vectorworks Preferences" > "Smart Options Display" pane.
VB-201873	IFC 4, Slab, Export Options don't work anymore
VB-201874	IFC 2x3, Roofface not exported with Export Options
VB-201875	IFC 4, Roofface not exported with Export Options
VB-201891	Crash Report CGSEnhancedComboBox::BuildMenu
VB-201905	*There are cases of forced termination depending on the state of the display bar.
VB-201916	*Spotlight automatic numbering tool crashes VW when using a negative tolerance number. number
VB-201930	Landscape area issues. Clip surface breaks reports and potentially its style. VW 2024
VB-201946	*Spotlight Cable Tools crashes VW if existing cable is clicked upon with the cable insertion tool.
VB-201951	*ConnectCAD: Crash - Create Panel View
VB-201952	3D symbol plug in origin
VB-201959	Structural Member connection broken after converting file to VW2024
VB-201961	DOM: Project Sharing Rectangle checkout SVP Annotations
VB-201973	Braceworks Create Calculation Report: User text only shows on second run of Create PDF
VB-201987	Wrong 2D Representation of Stair
VB-202016	TK BUG: Transform mode in Selection Tool: No X-Ray mode possible when repositioning the dragger
VB-202020	BCF manager - issues stay selected when switching files
VB-202022	BCF Manager - In New Issue dialog checking a label will scroll to the top
VB-202026	Structural member - Texture popup in render pane is not disabled
VB-202028	Title Block Manager: The list browser that displays Sheet Size Name doesn't fit to Automatic Naming Options group
VB-202031	Equipment Summary Key mode names capitalization

VB-202070	TK BUG: Transform Mode in Selection Tool: Dragger not available in SLVP Annotations
VB-202075	Mac workspace error - wrong tool in CC Layout tool set in Spotlight workspace
VB-202079	Design Suite workspace (Win only) - duplicate commands
VB-202082	When "Create Joists..." is selected, "Use Slab Component" is not displayed.
VB-202083	Railing Tool - Handrail terminations sometimes fail
VB-202085	Wall disappears
VB-202101	Imperial hardscape styles have blank icons in the resource manager
VB-202104	Fix Image Adjustment string consistency
VB-202106	Zooming causes constant check out of Polygons
VB-202113	SBE: Debug warning when opening document
VB-202160	COBie Facility and Floor worksheets not pulling data from source in IFC export settings
VB-202168	Cabinets - wrong hadrware placement and size
VB-202169	Triad Graphics leftover - while switching from sheet layer to another file
VB-202170	Cabinets: Wrong hardware orientation
VB-202222	KLS: Title in Edit List of New Issue in BCF-Manager too short
VB-202276	Space: empty Text Fields and Database Fields Leading to Application Crashes
VB-202281	ConnectCAD: Incorrect Field Mapping
VB-202282	Cable part data tag placement is wrong
VB-202308	*Project Sharing: crash during commit (reproducible)
VB-202327	Web palettes on macOS don't have ? title bar button
VB-202332	Insertion Point of 3D only Symbols incorrect
VB-202340	CW - Spotlight - Lighting Device - K is doubled in Systemfield
VB-202347	KLS: Data Tag problems with boolean true false
VB-202349	Project Sharing: using Google Drive for Desktop fails, when 3rd person joins
VB-202379	SBE: Crash in Symbol tool routine (no check for null ptr)
VB-202399	ConnectCAD: The geometry of the equipment item disappears after editing
VB-202405	Bi-parting casement window "Show 3D open" is incorrect

VB-202406	QA Test new AXYZ plug-in for VW2024 with Enscape 3D
VB-202439	Crash when editing preformatted COBie worksheets
VB-202445	Using Create Joists with a Slab object will freeze Vectorworks
VB-202452	Help feedback form link is broken
VB-202461	Resizing Window using interactive mode loses Corner Window configuartion
VB-202492	Exporting USD crashes VW
VB-202529	Export Datasmith not allowed in Student version
VB-202597	Vectorworks crashes when running the Omniverse Connector tool in Live mode.